

# Seed Treatment Keg Container Stewardship Industry Guidelines

Pressurized containers, also known as kegs, are widely used in Western Canada and it is imperative that kegs are used appropriately. The guidelines for seed treatment keg containers are designed to improve the clarity of label directions, support the proper use and stewardship of seed treatment products, and comply with federal requirements.

The following industry guidelines must be adhered to when kegs are filled with seed treatment products. Please be aware of, understand, and implement these industry guidelines to ensure regulatory compliance for the use, handling and labelling of seed treatment products in kegs.



## Industry Guidelines for Re-fill Sites:

- **One product per keg:** Only one seed treatment product (registered under the Pest Control Product Act (PCPA) and having a single PCP number) is to be placed in each keg at the re-fill site
- **Adhere to personal protective equipment requirements on the pesticide label**
- **Ensure each keg has an appropriate pesticide label securely affixed for the end user**
- **The re-fill site will not place additional products (i.e. inoculants, micro-nutrients or water) in a keg with a PCPA registered seed treatment product**
- **The re-fill site must have a written operating procedure for:**
  - *product handling*
  - *container tracking*
  - *product transfer*
  - *personal protective equipment use*
  - *transport to end user*
  - *rinsate management*
  - *container inspection*
  - *removal from service*